

IMAGINATION EXTRAORDINAIRE



CAMROLA* QUARTZ A chapmal in Every Onsign

Camrola Quartz Ltd.

Head Office : 516, Gala Empire, Opp. TV Tower Metro Station, Drive In Road, Thaltej, Ahmedabad-380054, Gujarat, India. info@camrolaquartz.com | www.camrolaquartz.com | +9179 4892 5898

Factory : Survey No. 426, Sonasan, Nananpur Road, Village-Amodara, Tal-Prantij, Dist-Sabarkantha-383210, Gujarat, India.




about company

Camrola Quartz Ltd., is a producer of quartz stone located in **Gujarat**, India with a capacity to manufacture **21000 SQFT** of quartz stone daily.

Camrola Quartz is an engineered stone used for a variety of applications in the building and construction industry, be it residential, non-residential or Commercial. Camrola Quartz can be used either in existing buildings, homes, offices, etc. or in new construction projects instead of tiles or natural stones, to enhance durability, strength as well as to minimize maintenance costs for the end users. Camrola Quartz stone eliminates most of the innate deficiencies of natural granite stone as well as enables designs that are customized to the end user's choice.

Camrola Quartz has been setup with the highest level of quality and systemic controls that ensures consistent production with minimal wastage. Camrola is leading by example and is transforming quartz into breathtaking surfaces and exceptional customer experiences. Camrola's management is composed of top management from the Indian engineered stone industry with experience in sales and manufacturing with multinational experience from USA and Singapore.

think big & bold



Manufacturing Artisans delivering Excellence







finishes




Leather Finish





Full Polished Glossy Finish



features



High Durable



Maintenance Free



Acid Resistant



Dimensional Stability



Stain Resistant



Slip Resistant



Easy To Clean



Eco Friendly



Bacteria Free Surface













application

Choosing the right material for your home's surfaces can be overwhelming. Camrola quartz surfaces are durable, easy to maintain, and stylish. With a range of colors and designs to choose from, it's the perfect choice for any home.





Table Tops

Counter Tops

Vanity Tops







Stairs

Airports & Malls

Windows & Doors







Inner Walls

Bars

Dance Floors







Hospitals

Hotels

More







index

EVEREST SERIES	Aqua Onxy Champagne Onxy Honey Onyx Calacatta Luxe Calacatta Bollichino Calacatta Satuario	Page 11 - 22
HIMALAYAN SERIES	Riverio Gold Rivero Grey Calacatta Athena Napolean Calacatta Cam Venice Calacatta Caserta Calacatta Manassas Calacatta Maria Gold Calacatta Maria Grey Santigo Calacatta Oslina Gold Calacatta Oslina Grey Calacatta Oslina Pie Calacatta Raphael Gold Calacatta Raphael Grey Jet Black	Page 23 - 54
MARVEL SERIES	Arcadia Silver Carrara Alabaster Carrara Nuvolato Dark Vesuvius Light Vesuvius Terazzo Campen Yorkshire	Page 55 - 70
LUXOR SERIES	Camrola White Carrara Gold Carrara Imperial Cararra Miami Sandal Wood Snow Flake Ushus Brown Valencia	Page 71- 84
COSMIC SERIES	Armani Grey Citilite Chroma Cafe Concreto Dove White Jupiter Light Grey Mint Grey	Page 85-100
IMPRESSO SERIES	Adonis Camrola Beige Grigio Cam Mud Grey	Page 101-108
ARIA SERIES	Chilled White Cotton White Crystal Beige Desert Grey Gem Beige Intense White Mint Crema Regal White Relicker Sahara Brown	Page 109-128
CRYSTAL SERIES	Bianco Vetronila Cappucino Caramel Dazzle Black Inox Bristol Inox Brown Dazzle White	Page 129-140
MIRAGE SERIES	Bianco Star Brown Star Burgandy Star Coasta Star Graphite Star Gres Star	Page 141-152



Aqua Onyx



SLAB SIZE:

3225mmx1625mm

3150mmx1450mm



Application: Living Space, Public Space, Wall Cladding, Commercial Space, Counter Tops





Champagne Onyx

SLAB SIZE:

3225mmx1625mm

3150mmx1450mm



Application: Living Space, Public Space, Wall Cladding, Commercial Space, Counter Tops



Honey Onyx



SLAB SIZE:

3225mmx1625mm

3150mmx1450mm



Application: Living Space, Public Space, Wall Cladding, Commercial Space, Counter Tops







Calacatta Bollichino



SLAB SIZE:

3475mmx1975mm

3225mmx1625mm



Application: Living Space, Public Space, Wall Cladding, Commercial Space, Counter Tops





Calacatta Satuario


SLAB SIZE:

3475mmx1975mm

3225mmx1625mm



Application: Living Space, Public Space, Wall Cladding, Commercial Space, Counter Tops





Riverio Grey



SLAB SIZE:


3225mmx1625mm



Application: Living Space, Public Space, Wall Cladding, Commercial Space, Counter Tops



Calacatta Athena



SLAB SIZE:

3475mmx1975mm



Application: Living Space, Public Space, Wall Cladding, Commercial Space, Counter Tops





Napolean

3475mmx1975mm

3225mmx1625mm



Application: Living Space, Public Space, Wall Cladding,





Calacatta Cam Venice



SLAB SIZE:

3475mmx1975mm

3225mmx1625mm



Application: Living Space, Public Space, Wall Cladding, Commercial Space, Counter Tops





Calacatta Caserta



SLAB SIZE:

3225mmx1625mm



Application: Living Space, Public Space, Wall Cladding, Commercial Space, Counter Tops





Calacatta Maria Gold

SLAB SIZE:

3475mmx1975mm

3225mmx1625mm




Application: Living Space, Public Space, Wall Cladding, Commercial Space, Counter Tops











3475mmx1975mm

3225mmx1625mm



Application: Living Space, Public Space, Wall Cladding, Commercial Space, Counter Tops





Calacatta Oslina Grey

SLAB SIZE:

3475mmx1975mm

3225mmx1625mm



Application: Living Space, Public Space, Wall Cladding, Commercial Space, Counter Tops



Calacatta Oslina Pietra






3475mmx1975mm

3225mmx1625mm



Application: Living Space, Public Space, Wall Cladding, Commercial Space, Counter Tops







3475mmx1975mm

3225mmx1625mm



Application: Living Space, Public Space, Wall Cladding, Commercial Space, Counter Tops



Calacatta Raphael Grey



3475mmx1975mm

3225mmx1625mm



Application: Living Space, Public Space, Wall Cladding,









SLAB SIZE:

3475mmx1975mm

3225mmx1625mm



Application: Living Space, Public Space, Wall Cladding, Commercial Space, Counter Tops





Carrara Alabaster

SLAB SIZE:

3475mmx1975mm

3225mmx1625mm

3150mmx1450mm



Application: Living Space, Public Space, Wall Cladding, Commercial Space, Counter Tops



Carrara Nuvolato



SLAB SIZE:

3475mmx1975mm

3225mmx1625mm

3150mmx1450mm



Application: Living Space, Public Space, Wall Cladding, Commercial Space, Counter Tops







Light Vesuvius



SLAB SIZE:


3475mmx1975mm

3225mmx1625mm

3150mmx1450mm



Application: Living Space, Public Space, Wall Cladding, Commercial Space, Counter Tops







Campen

SLAB SIZE:

3475mmx1975mm

3225mmx1625mm

3150mmx1450mm



Application: Living Space, Public Space, Wall Cladding, Commercial Space, Counter Tops









Carrara Gold



SLAB SIZE:

3475mmx1975mm

3225mmx1625mm

3150mmx1450mm



Application: Living Space, Public Space, Wall Cladding

Commercial Space Counter Top



Carrara Miami



3475mmx1975mm

3225mmx1625mm

3150mmx1450mm



Application: Living Space, Public Space, Wall Cladding, Commercial Space, Counter Tops











Valencia



SLAB SIZE:

3475mm×1975mm

3225mmx1625mm

3150mmx1450mm











Citilite



SLAB SIZE:

3475mmx1975mm

3225mmx1625mm

3150mmx1450mm






Application: Living Space, Public Space, Wall Cladding, Commercial Space, Counter Tops











Jupiter

SLAB SIZE:

3475mmx1975mm

3225mmx1625mm

3150mmx1450mm



Application: Living Space, Public Space, Wall Cladding, Commercial Space, Counter Tops







SLAB SIZE:

3475mmx1975mm

3225mmx1625mm


3150mmx1450mm



Application: Living Space, Public Space, Wall Cladding, Commercial Space, Counter Tops









Grigio Cam

SLAB SIZE:

3475mmx1975mm

3225mmx1625mm

3150mmx1450mm



Application: Living Space, Public Space, Vvali Claading Commercial Space, Counter Top:



Mud Grey

SLAB SIZE:

3475mmx1975mm

3225mmx1625mm


3150mmx1450mm




Application: Living Space, Public Space, Wall Cladding Commercial Space, Counter Tops











SLAB SIZE:

3475mmx1975mm

3225mmx1625mm

3150mmx1450mm



Application: Living Space, Public Space, Wall Cladding, Commercial Space, Counter Tops





Gem Beige

SLAB SIZE:

3475mmx1975mm

3225mmx1625mm

3150mmx1450mm



Application: Living Space, Public Space, Wall Cladding, Commercial Space, Counter Tops







Regal White



3475mmx1975mm

3225mmx1625mm

3150mmx1450mm



Application: Living Space, Public Space, Wall Cladding, Commercial Space, Counter Tops





Relicker

SLAB SIZE:

3475mmx1975mm

3225mmx1625mm


3150mmx1450mm



Application: Living Space, Public Space, Wall Cladding, Commercial Space, Counter Tops









Caramel

SLAB SIZE:

3475mmx1975mm


3225mmx1625mm

3150mmx1450mm





Dazzle Black



SLAB SIZE:


3475mmx1975mm

3225mmx1625mm

3150mmx1450mm



Application: Living Space, Public Space, Wall Cladding, Commercial Space, Counter Tops





Inox Bristol

SLAB SIZE:

3475mmx1975mm


3225mmx1625mm

3150mmx1450mm



Application: Living Space, Public Space, Wall Cladding Commercial Space, Counter Tops







Brown Star



3475mmx1975mm

3225mmx1625mm

3150mmx1450mm



Application: Living Space, Public Space, Wall Cladding, Commercial Space, Counter Tops, Building Facade





Burgandy Star

SLAB SIZE:

3475mmx1975mm

3225mmx1625mm

3150mmx1450mm



Application: Living Space, Public Space, Wall Cladding, Commercial Space, Counter Tops, Building Facade



Coasta Star

SLAB SIZE:

3475mmx1975mm

3225mmx1625mm

3150mmx1450mm



Application: Living Space, Public Space, Wall Cladding, Commercial Space, Counter Tops, Building Facade





Graphite Star

3475mmx1975mm 3225mmx1625mm 3150mmx1450mm

SLAB SIZE:

Application: Living Space, Public Space, Wall Cladding,



Instilling an aura of flamboyance within your living space







































COMPARISON

Property	Results	Results	Results	Results
Characteristics	Camrola Quartz	Camposite Marble	Granite	Imported Marble
Resistance To Chemicals	High	Low	Moderate	Low
Hardness	High	Low	Moderate	Low
Resistance To Impact	High	Low	High	Low
Resistance To Stains	High	Low	Moderate	Low
Resistance To Scratch	High	Low	High	Low
Resistance To Oil Absorption	High	Low	Moderate	Low
Heat Resistance	High	Low	Moderate	Low
Non Porous	High	Low	Low	Low
Ease To Maintenance	High	High	Moderate	High
Resistance To Microbial Growth	High	High	Low	High
Coast Saving Through Low Wastage	High	High	Low	Low
Maintenance	High	High	Low	High
Saving On Installation	High	High	Low	High
Resistance To Water Absorption	High	High	Moderate	Low
Size Consistency	High	High	Low	Low
Colour Consistency	High	High	Low	Low
Supply Consistency	High	High	High	Low
Colour / Pattren / Texture Options	High	High	Low	Moderate

Like all fine materials, Camrola Quartz responds best when handled with due care and attention. Remember, it is always easier to wipe up a spill than it is to handle a dried stain. Just wipe away any spilled food before it turns into a permanent stain.

Remember that detergents containing bleach and hard scouring granules may harm surfaces over time. Therefore, pay due attention to your detergent selection by never using cleaning products that contain soft or hard scouring granules such as vim scouring power or CIF Cream.

Products with pH close to neutral or with reduced pH effect (general cleaning products which may be commercially available on shelves) may be used at all times. However, protonged contact with decalcified and products containing decalcifying agents as well as oil solvents may be avoid so containing oil solvents must be avoided.

Gently scrape away any spills of paint, nail, enamel, chewing gum, mustard, grease, etc using a plastic spatula as soon as possible. Make sure you cleanse the surface with water thoroughly.

Quartz being one of the hardest minerals on earth, offers an unparalleled strength and durability that prevent easy scratching and damage, Still, as with any surface, Camrola Quartz can be permanently damaged by exposure to strong forces that undermine its physical properties. In order for your countertop to maintain its good looks for many years, always use a bread/chopping board and a table mat (trivet)

TECHNICAL SPECIFICATION

Property	Results	Method	
Water Absorption	<0.05%	ASTM C97-09	
MOH's Hardness	6.5 - 7	MOH's Hardness Scale	
Thermal Shock	No Damage, Passed 5 Cycles	ASTM C484	
Compressive Strength	24000 Psi	ASTM C170	
Flexural Strength	8500 - 9000 Psi	ASTM C880	
Moisture Absorption	Negligible	ASTM C97	
Abrasion Resistance	21.5 mm	ASTM C1253	
Density	2.4 g/cm ³	ASTM C373	
Cigarette Test	Unaffected	ANSI Z124.6	
Stain Resistance	Unaffected	ANSI Z124.6	
Bond Strength	205 Psi	ASTM C482	
Wear Resistance	Unaffected	ANSI Z124.6	
Thermal Expansion	2.5 x 10° in/f	ASTM C531	
Chemical Resistance	Unaffected	ASTM C650	
De-Icing Resistance	Unaffected	ASTM C672	
Freeze-Thaw Resistance	No Damage, Passed 15 Cycles	ASTM C1026	
Surface Burning Characteristics	17 (Class A/1 Rating)	ASTM E84	

SLAB SIZE

3150 x 1450mm (124 x 57 inches) 10.33 x 4.75 Feet (49.16 SQ.FT) 3225 x 1625mm (127 x 64 inches) 10.58 x 5.33 Feet (56.41 SQ.FT.) 3475 x 1975mm (137 x 78 inches) 11.40 x 6.48 Feet (73.87 SQ.FT.)

THICKNESS

30MM, 20MM, 15MM

Customised size is available on request

Pictures represented in the catalogue are indicative in nature. For exact matching, please refer the actual sample

MOULD FINISHING

